

## WxS9900 NB-IoT Series Table of Contents

1. WxS9900 NB-IoT Smart IoT Terminal and RTU 2-in-1 Terminal
2. WxS9950 NB-IoT Smart RTU
3. WxS9900-219011 Semiconductor Flammable Gas Smart Sensor & RTU 2-in-1 Terminal
4. WxS9900-21E0J1 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-2,000PPM)
5. WxS9900-21E0J2 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-5,000PPM)
6. WxS9900-21E0J3 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-10,000PPM)
7. WxS9900-21E0J4 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:0-2,000PPM)
8. WxS9900-21E0J5 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:0-5,000PPM)
9. WxS9900-21E0J6 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:0-10,000PPM)
10. WxS9900-21E0J7 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-2,000PPM)LP3.3V
11. WxS9900-21E0J8 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-5,000PPM)LP3.3V
12. WxS9900-21E0J9 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-10,000PPM)LP3.3V
13. WxS9900-21E131 Mie scattering principle PM2.5/10 Gas Smart Sensor & RTU 2-in-1 Terminal
14. WxS9900-21H041 Electrochemical HCHO/H2CO Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-5PPM)
15. WxS9900-21H042 Electrochemical HCHO/H2CO Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1.6PPM)
16. WxS9900-21H061 Electrochemical H2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM)
17. WxS9900-21H063 Electrochemical H2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM)Alum Probe
18. WxS9900-21H091 Electrochemical CO Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM)
19. WxS9900-21H093 Electrochemical CO Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM) Alum Probe
20. WxS9900-21H0A1 Electrochemical H2S Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM)
21. WxS9900-21H0A3 Electrochemical H2S Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM) Alum Probe
22. WxS9900-21H0B1 Electrochemical O2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-25% VOL)
23. WxS9900-21H0B3 Electrochemical O2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-25% VOL) Alum Probe
24. WxS9900-21H0C1 Electrochemical NH3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM)
25. WxS9900-21H0C3 Electrochemical NH3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM) Alum Probe
26. WxS9900-21H0D1 Electrochemical CL2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM)
27. WxS9900-21H0D3 Electrochemical CL2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM) Alum Probe
28. WxS9900-21H0E1 Electrochemical O3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM)
29. WxS9900-21H0E3 Electrochemical O3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM) Alum Probe
30. WxS9900-21H0F1 Electrochemical SO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM)
31. WxS9900-21H0F3 Electrochemical SO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM) Alum Probe
32. WxS9900-21H0H1 Electrochemical NO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM)
33. WxS9900-21H0H3 Electrochemical NO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM) Alum Probe
34. WxS9900-21H0P1 Electrochemical TVOC Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM)
35. WxS9900-21H0P3 Electrochemical TVOC Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM) Alum Probe
36. WxS9900-2110P1 Semiconductor TVOC Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10mg/m<sup>3</sup>)
37. WxS9900-21H0U1 Electrochemical HF Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM)
38. WxS9900-21H0U3 Electrochemical HF Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM) Alum Probe
39. WxS9900-21H0V1 Electrochemical HCL Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM)
40. WxS9900-21H0V1 Electrochemical HCL Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM) Alum Probe

41. WxS9900-21H0W1 Electrochemical PH3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM)
42. WxS9900-21H0W3 Electrochemical PH3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM) Alum Probe
43. WxS9900-21H611 Electrochemical DG Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-50PPM)
44. WxS9900-21H613 Electrochemical DG Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-50PPM) Alum Probe
45. WxS9900-423061 Soil Temperature+Humidity+Conductivity Sensor(Power supply 5-12VDC)
46. WxS9900-423062 Soil Temperature+Humidity+Conductivity Sensor(Power supply 3.3VDC)
47. WxS9900-22B011 Soil Temperature and Humidity Smart Sensor & RTU 2-in-1 Terminal(Power supply 5-12VDC)
48. WxS9900-22B021 Soil Humidity Smart Sensor & RTU 2-in-1 Terminal(Power supply 3.3VDC)
49. WxS9900-232061 Soil Conductivity Smart Sensor & RTU 2-in-1 Terminal(Power supply 5-12VDC)
50. WxS9900-232071 Soil NPK Smart Sensor & RTU 2-in-1 Terminal(Power supply 5-12VDC)
51. WxS9900-232072 Soil NPK Smart Sensor & RTU 2-in-1 Terminal(Power supply 3.3VDC)
52. WxS9900-234021 Soil pH Smart Sensor & RTU 2-in-1 Terminal(Power supply 5-12VDC)
53. WxS9900-234022 Soil pH Smart Sensor & RTU 2-in-1 Terminal(Power supply 3.3VDC)
54. WxS9900-311121 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) M20\*1.5 External  $\varnothing$ 20mm
55. WxS9900-311122 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) G1/2 External  $\varnothing$ 20.95mm
56. WxS9900-311123 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) G1/4 External  $\varnothing$ 13mm
57. WxS9900-311124 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) R1/4
58. WxS9900-311125 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) 1/4 NPT
59. WxS9900-311126 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) G3/4 External  $\varnothing$ 26.3mm
60. WxS9900-311127 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) M10\*1 External  $\varnothing$ 10mm
61. WxS9900-311128 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) G1 External  $\varnothing$ 33.2mm
62. WxS9900-311135 Immersed liquid level Smart Sensor & RTU 2-in-1 Terminal(R:0-3 Meter ,3-5VDC)
63. WxS9900-311136 Immersed liquid level Smart Sensor & RTU 2-in-1 Terminal(R:0-5 Meter,3-5VDC)
64. WxS9900-311137 Immersed liquid level Smart Sensor & RTU 2-in-1 Terminal(R:0-7 Meter,3-5VDC)
65. WxS9900-311138 Immersed liquid level Smart Sensor & RTU 2-in-1 Terminal(R:0-10 Meter,3-5VDC)
66. WxS9900-311141 High Temperature Immersed liquid level Smart Sensor & RTU 2-in-1 T (R:0-10M,0.5%FS,12V)
67. WxS9900-311142 High Temperature Immersed liquid level Smart Sensor & RTU 2-in-1 T (R:0-10M,0.3%FS,12V)
68. WxS9900-311151 Teflon ceramic type Immersed liquid level Smart Sensor & RTU 2-in-1 T (R:0-10M,0.5%FS)
69. WxS9900-311152 Teflon ceramic type Immersed liquid level Smart Sensor & RTU 2-in-1 T (R:0-10M,0.3%FS)
70. WxS9900-317611 Displacement Smart Sensor & RTU 2-in-1 Terminal (Resolution 0.01mm)
71. WxS9900-318211 Water level upper limit Smart Sensor & RTU 2-in-1 Terminal (rod shape, R: 0.8meter)
72. WxS9900-318212 Water level upper limit Smart Sensor & RTU 2-in-1 Terminal (rod shape, R: 1meter)
73. WxS9900-318213 Water level upper limit Smart Sensor & RTU 2-in-1 Terminal (rod shape, R: 1.2meter)
74. WxS9900-318521 Multi-target High-precision Positioning & Speed Measurement Radar & RTU Smart Terminal
75. WxS9900-318531 Radar Water Flow Meter & RTU Smart Terminal(9~28VDC, Range: 0.15~15m/s,IP68)
76. WxS9900-318541 Radar Water Level Meter & RTU Smart Terminal(6-24VDC, Range: 0-10m, RS485)
77. WxS9900-318542 Radar Water Level Meter & RTU Smart Terminal(6-24VDC, Range: 0-30m, RS485)
78. WxS9900-318711 GPS/Beidou Positioning Smart Sensor & RTU 2-in-1 Terminal
79. WxS9900-319211 Wind Direction Smart Sensor & RTU 2-in-1 Terminal
80. WxS9900-319221 Limit Switch Smart Sensor & RTU 2-in-1 Terminal(Honeywell)
81. WxS9900-319222 Manhole cover Smart Sensor & RTU 2-in-1 Terminal (Battery)
82. WxS9900-319231 Rope-pulling switch Smart Sensor & RTU 2-in-1 Terminal
83. WxS9900-319241 Smart Lock based Toilet Occupation Smart Sensor & RTU 2-in-1 Terminal
84. WxS9900-319311 Tilt / Inclination Smart Sensor & RTU 2-in-1 Terminal (SHM- Structure Health Monitoring)

85. WxS9900-319321 Tilt alarm switch & RTU Smart Terminal (Triggered on 20° on X/Y Axis Tilt, Acc: 20±10°)
86. WxS9900-319322 Tilt alarm switch & RTU Smart Terminal (Triggered on 30° on X/Y Axis Tilt, Acc: 30±10°)
87. WxS9900-319323 Tilt alarm switch & RTU Smart Terminal (Triggered on 45° on X/Y Axis Tilt, Acc: 45±10°)
88. WxS9900-319324 Tilt alarm switch & RTU Smart Terminal (Triggered on 60° on X/Y Axis Tilt, Acc: 60±10°)
89. WxS9900-319325 Tilt alarm switch & RTU Smart Terminal (Triggered on 80° on X/Y Axis Tilt, Acc: 80±10°)
90. WxS9900-321111 18B20 Temp Smart Sensor & RTU 2-in-1 Terminal(30-120°C, Normal)
91. WxS9900-321112 18B20 Temp Smart Sensor & RTU 2-in-1 Terminal(-30-120°C, Magnetic head)
92. WxS9900-321113 18B20 Temp Smart Sensor & RTU 2-in-1 Terminal(-30-120°C, Screw head)
93. WxS9916-321161 Grain Pile (Fermentation) Temperature Smart Sensors Terminal (1 Meter, 2 Temp Point)
94. WxS9916-321162 Grain Pile (Fermentation) Temperature Smart Sensors Terminal (2 Meters, 4 Temp Points)
95. WxS9916-321163 Grain Pile (Fermentation) Temperature Smart Sensors Terminal (3 Meters, 5 Temp Points)
96. WxS9900-321911 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Plug-in,1 meter)
97. WxS9900-321912 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Patch-type,1 meter)
98. WxS9900-321913 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Screw-type,2 meters)
99. WxS9900-321914 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Nose Patch-type,2 meters)
100. WxS9900-321915 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Magnetic head type,1 meter)
101. WxS9900-330011 Solar total radiation Smart Sensor & RTU 2-in-1 Terminal(R:0-1800W/m<sup>2</sup>, 1W/m<sup>2</sup>), IP67
102. WxS9900-332061 Photosynthetically Act Radiation Sensor & RTU 2-in-1 T(400-700nm,R: 0~2,500μmol/m<sup>2</sup> S)
103. WxS9900-333031 Fire smoke Smart Sensor & RTU 2-in-1 Terminal
104. WxS9900-333032 Fire Smoke+CO Smart Sensor & RTU 2-in-1 Terminal
105. WxS9900-333041 IR Smart Sensor & RTU 2-in-1 Terminal(1 meters)
106. WxS9900-333042 IR Sensor Smart & RTU 2-in-1 Terminal, Diffuse Reflection (2.5 meters,12VDC )
107. WxS9900-333043 Dual IR Bi-directional counter Smart & RTU 2-in-1 Terminal,Diffuse Reflection (2.5 m,12VDC)
108. WxS9900-333044 IR Smart Sensor & RTU 2-in-1 Terminal, Mirrored reflection (4 meters,12VDC)
109. WxS9900-333045 Dual IR Bi-directional counter Smart & RTU 2-in-1 Terminal, Mirrored reflection (4m.12VDC)
110. WxS9900-333051 PIR Smart Sensor & RTU 2-in-1 Terminal(3-4 Meters)
111. WxS9900-333052 PIR Smart Sensor & RTU 2-in-1 Terminal(20 Meters)
112. WxS9900-333053 PIR based Toilet Occupation Smart Sensor & RTU 2-in-1 Terminal
113. WxS9900-333061 Optical Rainfall Smart Sensor & RTU 2-in-1 Terminal(Resolution:0.1mm, Max:24mm/min)
114. WxS9900-333071 Atmospheric visibility Smart Sensor & RTU 2-in-1 Terminal(10KM±2%, resolution 1m), IP67
115. WxS9900-333072 Atmospheric visibility Smart Sensor & RTU 2-in-1 Terminal(50KM±2%, resolution 1m), IP67
116. WxS9900-333073 Atmospheric visibility Smart Sensor & RTU 2-in-1 Terminal(80KM±2%, resolution 1m), IP67
117. WxS9900-333081 Infrared grating radiation perimeter alarm & RTU 2-in-1 Terminal (1 pair), IP67
118. WxS9900-334061 UV Smart Sensor & RTU 2-in-1 Terminal(R:0-15 grade, outdoor)
119. WxS9900-334062 UV radiation Smart Sensor & RTU 2-in-1 Terminal(R:0~5mw/cm<sup>2</sup>, indoor,12VDC)
120. WxS9900-33B021 illumination Smart Sensor & RTU 2-in-1 Terminal(R: 0-100KLux, 0.01Lux) outdoor
121. WxS9900-33B022 illumination Smart Sensor & RTU 2-in-1 Terminal (R: 0-100KLux, 0.01Lux) indoor
122. WxS9900-341011 Door/window magnetic switch Smart Sensor & RTU 2-in-1 Terminal(Indoor)
123. WxS9900-341021 Metal Magnetic Field Change Smart Sensor & RTU 2-in-1 Terminal
124. WxS9900-341022 Smart Parking Sensor Terminal
125. WxS9900-351023 Current Transformer & RTU 2-in-1 Smart Terminal (AC100,3.3VDC, Resolution:1%)
126. WxS9900-351024 Current Transformer & RTU 2-in-1 Smart Terminal (AC200,3.3VDC, Resolution 2%)
127. WxS9900-351025 Current Transformer & RTU 2-in-1 Smart Terminal (AC300,3.3VDC, Resolution 3%)
128. WxS9900-351026 Current Transformer & RTU 2-in-1 Smart Terminal (AC500,3.3VDC, Resolution 5%)

- 129. WxS9900-351031 Static Electricity Smart Sensor & RTU 2-in-1 Smart Terminal
- 130. WxS9900-3530A1 Uni-phase Electric Energy Meter & RTU 2-in-1 Smart Terminal
- 131. WxS9900-3530A2 Uni-phase Electric Energy Meter & RTU 2-in-1 Smart Terminal
- 132. WxS9900-3530C1 Water Leaking Smart Sensor (Point) & RTU 2-in-1 Smart Terminal
- 133. WxS9900-3530C2 Water Leaking Smart Sensor (Point) & RTU 2-in-1 Smart Terminal
- 134. WxS9900-3530D1 Water Leaking Smart Sensor & RTU 2-in-1 Terminal (Line,10 meter, no positioning)
- 135. WxS9900-3530E2 Rain or snow Smart Sensor & RTU 2-in-1 Terminal (switch signal, Auto heating), IP68
- 136. WxS9900-355031 Anemometer Wind Speed Smart Sensor & RTU 2-in-1 Terminal
- 137. WxS9900-355041 Tipping rain bucket Rainfall Smart Sensor & RTU 2-in-1 Terminal
- 138. WxS9900-355051 Uni-Call Button & RTU 2-in-1 Smart Terminal
- 139. WxS9900-362011 Sound/Noise Smart Sensor & RTU 2-in-1 Terminal (Range: 30~130dB, Indoor)
- 140. WxS9900-362021 Sound/Noise Smart Sensor & RTU 2-in-1 Terminal (Range: 30~130dB, Outdoor)
- 141. WxS9900-363021 Ultrasonic Smart Sensor & RTU 2-in-1 Terminal (Range: 0-8 Meter)
- 142. WxS990E-403011 Temp+Humidity Smart Sensors & RTU 2-in-1 Terminal (Indoor)
- 143. WxS990E-403013 Temp+Humidity Smart Sensors & RTU 2-in-1 Terminal (IP67, Outdoor)
- 144. WxS9911-40301D Temperature+Humidity Smart Sensors Terminal (Indoor, ER18505H/M)
- 145. WxS9911-40301E Temperature+Humidity Smart Sensor Terminal (Indoor, Rechargeable 18650)
- 146. WxS9911-40301F Temperature+Humidity Smart Sensor Terminal with 4.2" Ink Display(Indoor, ER18505H/M)
- 147. WxS9911-40301G Temperature+Humidity Smart Sensor Terminal with 4.2"LCD Display(Indoor,Recharge18650)
- 148. WxS9912-403013 T+H Smart Sensors T (T: R-40°-120°C,Typ:0-65°C,±0.2H:±2%H, IP67, ER14505H/M &DC)
- 149. WxS9912-403017 T+H Smart Sensors T (T: R-40°-120°C,Typ:0-90°C,±0.2H:±2%H, IP67, ER14505H/M &DC)
- 150. WxS9912-40301B T+H Smart Sensors T (T: R-40°-120°C,Typ:20-60°C,±0.1H:±1.5%H, IP67, ER14505H/M &DC)
- 151. WxS9912-403023 Temperature+Humidity+Barometric Pressure Smart Sensors T (IP67, ER14505H/M &DC)
- 152. WxS990E-403021 Temp+Humidity+Barometric Pressure Smart Sensors & RTU 2-in-1 Terminal (Indoor)
- 153. WxS990E-403023 Temp+Humidity+Barometric Pressure Smart Sensors & RTU 2-in-1 Terminal (IP67, Outdoor)
- 154. WxS9900-423011 AQI(PM2.5/10, SO2,NO2, O3, CO, T, H) Smart Sensors & RTU 2-in-1 Terminal (PPM)
- 155. WxS9900-423031 IAQ(PM2.5/10, CO2, HCHO, T, H) Smart Sensors & RTU 2-in-1 Terminal
- 156. WxS9900-423041 IAQ(PM2.5/10, CO2, TVOC, T, H) Smart Sensors & RTU 2-in-1 Terminal
- 157. WxS9900-423051 IAQ(PM2.5/10, CO2, HCHO, TVOC, T, H) Smart Sensors & RTU 2-in-1 Terminal (MoQ=100)
- 158. WxS9900-423071 IAQ (T+H+CO2) Smart Sensors Terminal (Indoor, ER18505H/M)
- 159. WxS9900-423072 IAQ (T+H+CO2) Smart Sensor Terminal (Indoor, Rechargeable 18650)
- 160. WxS9900-423073 IAQ(T+H+CO2) Smart Sensor Terminal with 4.2" Ink Display (ER18505H/M)
- 161. WxS9900-423074 IAQ(T+H+CO2)Smart Sensor Terminal with 4.2" LCD Display (Recharge 18650)
- 162. WxS9900-423081 Smart Gas (CO, H2S, O2, CH4) Sensors & RTU 2-in-1 Terminal
- 163. WxS9900-423091 Temp+Humidity+4 Gases Sensors (Optional) & RTU 2-in-1 Terminal
- 164. WxS9900-232011 Water Quality Residual Chlorine Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 165. WxS9900-232021 Quad-electrode Salinity Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 166. WxS9900-232031 Quad-electrode Conductivity Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 167. WxS9900-232041 Water Quality Digital ORP Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 168. WxS9900-232051 Water Quality NH4 Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 169. WxS9900-232081 Water Quality Total Hardness Sensor & RTU 2-in-1 Terminal (IP68)
- 170. WxS9900-234011 Water Quality Digital PH Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 171. WxS9900-332011 Optical Dissolved Oxygen Smart Sensor & RTU 2-in-1 T (Optical Fluoresce Principle, IP68)
- 172. WxS9900-332012 Aquaculture ODO Smart Sensor & RTU 2-in-1 Terminal (Optical fluoresce Principle,IP68)

- 173. WxS9900-332021 Optical Chlorophyll Smart Sensor & RTU 2-in-1 T (Self-Cleaning, Immersible, IP68)
- 174. WxS9900-332022 Optical Chlorophyll Smart Sensor & RTU 2-in-1 T (Flow Cell/Immersible, IP68)
- 175. WxS9900-332031 Blue Green Algae Smart Sensor & RTU 2-in-1 T (Fresh Water, Self-Cleaning, IP68)
- 176. WxS9900-332032 Blue Green Algae Smart Sensor & RTU 2-in-1 T (Fresh Water, Flow cell/Immersible, IP68)
- 177. WxS9900-333011 Suspended Solid Smart Sensor & RTU 2-in-1 Terminal (Self Cleaning, 0-4,000mg/L, IP68)
- 178. WxS9900-333012 Suspended Solid Smart Sensor & RTU 2-in-1 Terminal (Self Cleaning, 0-10,000mg/L, IP68)
- 179. WxS9900-334012 Oil-in-Water Smart Sensor & RTU 2-in-1 T (UV Fluorescent, Crude Oil , Self-Cleaning, IP68)
- 180. WxS9900-334014 Oil-in-Water Smart Sensor & RTU 2-in-1 T(UV Fluorescent, Refined Oil, Self-Cleaning, IP68)
- 181. WxS9900-334021 UV254 COD Smart Sensor & RTU 2-in-1 Terminal (Waster Water/Surface Water, IP68)
- 182. WxS9900-334022 UV254 COD Smart Sensor & RTU 2-in-1 Terminal (Industrial Waster Water, IP68)
- 183. WxS9900-334031 Optical Turbidity Smart Sensor & RTU 2-in-1 Terminal (Flow cell/Immersible, IP68)
- 184. WxS9900-334032 Optical Turbidity Smart Sensor & RTU 2-in-1 Terminal (Immersible,Self-Cleaning,IP68)
- 185. WxS9900-334041 Colored Dissolvable Organic Matter CDOM Sensor & RTU 2-in-1 Terminal (UV, IP68)
- 186. WxS9900-334051 Water Color Sensor & RTU 2-in-1 T(Dual Wavelength UV254, Immersible,Self-Cleaning,IP68)
- 187. BSS-BUOY01 Larger Ocean Quality Sensors Buoy System (Inc. Solar Charging Systems)
- 188. BSS-BUOY02 Smaller River Water Quality Sensors Buoy System (Inc. Solar Charging Systems)