

WxSC800 LTE Cat1 Series Table of Contents

1. WxSC800 LTE Cat1 Smart IoT Terminal and RTU 2-in-1 Terminal
2. WxSC850 LTE Cat1 Smart RTU
3. WxSC800-219011 Semiconductor Flammable Gas Smart Sensor & RTU 2-in-1 Terminal
4. WxSC800-21E0J1 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-2,000PPM)
5. WxSC800-21E0J2 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-5,000PPM)
6. WxSC800-21E0J3 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-10,000PPM)
7. WxSC800-21E0J4 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:0-2,000PPM)
8. WxSC800-21E0J5 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:0-5,000PPM)
9. WxSC800-21E0J6 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:0-10,000PPM)
10. WxSC800-21E0J7 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-2,000PPM)LP3.3V
11. WxSC800-21E0J8 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-5,000PPM)LP3.3V
12. WxSC800-21E0J9 NDIR CO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R:400-10,000PPM)LP3.3V
13. WxSC800-21E131 Mie scattering principle PM2.5/10 Gas Smart Sensor & RTU 2-in-1 Terminal
14. WxSC800-21H041 Electrochemical HCHO/H2CO Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-5PPM)
15. WxSC800-21H042 Electrochemical HCHO/H2CO Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1.6PPM)
16. WxSC800-21H061 Electrochemical H2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM)
17. WxSC800-21H063 Electrochemical H2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM)Alum Probe
18. WxSC800-21H091 Electrochemical CO Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM)
19. WxSC800-21H093 Electrochemical CO Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM) Alum Probe
20. WxSC800-21H0A1 Electrochemical H2S Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM)
21. WxSC800-21H0A3 Electrochemical H2S Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM) Alum Probe
22. WxSC800-21H0B1 Electrochemical O2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-25% VOL)
23. WxSC800-21H0B3 Electrochemical O2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-25% VOL) Alum Probe
24. WxSC800-21H0C1 Electrochemical NH3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM)
25. WxSC800-21H0C3 Electrochemical NH3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM) Alum Probe
26. WxSC800-21H0D1 Electrochemical CL2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM)
27. WxSC800-21H0D3 Electrochemical CL2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM) Alum Probe
28. WxSC800-21H0E1 Electrochemical O3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM)
29. WxSC800-21H0E3 Electrochemical O3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM) Alum Probe
30. WxSC800-21H0F1 Electrochemical SO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM)
31. WxSC800-21H0F3 Electrochemical SO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM) Alum Probe
32. WxSC800-21H0H1 Electrochemical NO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM)
33. WxSC800-21H0H3 Electrochemical NO2 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-20PPM) Alum Probe
34. WxSC800-21H0P1 Electrochemical TVOC Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM)
35. WxSC800-21H0P3 Electrochemical TVOC Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-100PPM) Alum Probe
36. WxSC800-2110P1 Semiconductor TVOC Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10mg/m³)
37. WxSC800-21H0U1 Electrochemical HF Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM)
38. WxSC800-21H0U3 Electrochemical HF Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM) Alum Probe
39. WxSC800-21H0V1 Electrochemical HCL Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM)
40. WxSC800-21H0V1 Electrochemical HCL Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-10PPM) Alum Probe

41. WxSC800-21H0W1 Electrochemical PH3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM)
42. WxSC800-21H0W3 Electrochemical PH3 Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-1,000PPM) Alum Probe
43. WxSC800-21H611 Electrochemical DG Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-50PPM)
44. WxSC800-21H613 Electrochemical DG Gas Smart Sensor & RTU 2-in-1 Terminal (R: 0-50PPM) Alum Probe
45. WxSC800-423061 Soil Temperature+Humidity+Conductivity Sensor(Power supply 5-12VDC)
46. WxSC800-423062 Soil Temperature+Humidity+Conductivity Sensor(Power supply 3.3VDC)
47. WxSC800-22B011 Soil Temperature and Humidity Smart Sensor & RTU 2-in-1 Terminal(Power supply 5-12VDC)
48. WxSC800-22B021 Soil Humidity Smart Sensor & RTU 2-in-1 Terminal(Power supply 3.3VDC)
49. WxSC800-232061 Soil Conductivity Smart Sensor & RTU 2-in-1 Terminal(Power supply 5-12VDC)
50. WxSC800-232071 Soil NPK Smart Sensor & RTU 2-in-1 Terminal(Power supply 5-12VDC)
51. WxSC800-232072 Soil NPK Smart Sensor & RTU 2-in-1 Terminal(Power supply 3.3VDC)
52. WxSC800-234021 Soil pH Smart Sensor & RTU 2-in-1 Terminal(Power supply 5-12VDC)
53. WxSC800-234022 Soil pH Smart Sensor & RTU 2-in-1 Terminal(Power supply 3.3VDC)
54. WxSC800-311121 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) M20*1.5 External \varnothing 20mm
55. WxSC800-311122 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) G1/2 External \varnothing 20.95mm
56. WxSC800-311123 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) G1/4 External \varnothing 13mm
57. WxSC800-311124 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) R1/4
58. WxSC800-311125 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) 1/4 NPT
59. WxSC800-311126 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) G3/4 External \varnothing 26.3mm
60. WxSC800-311127 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) M10*1 External \varnothing 10mm
61. WxSC800-311128 Pressure Smart Sensor & RTU 2-in-1 Terminal(Oil/Water/gas) G1 External \varnothing 33.2mm
62. WxSC800-311135 Immersed liquid level Smart Sensor & RTU 2-in-1 Terminal(R:0-3 Meter ,3-5VDC)
63. WxSC800-311136 Immersed liquid level Smart Sensor & RTU 2-in-1 Terminal(R:0-5 Meter,3-5VDC)
64. WxSC800-311137 Immersed liquid level Smart Sensor & RTU 2-in-1 Terminal(R:0-7 Meter,3-5VDC)
65. WxSC800-311138 Immersed liquid level Smart Sensor & RTU 2-in-1 Terminal(R:0-10 Meter,3-5VDC)
66. WxSC800-311141 High Temperature Immersed liquid level Smart Sensor & RTU 2-in-1 T (R:0-10M,0.5%FS,12V)
67. WxSC800-311142 High Temperature Immersed liquid level Smart Sensor & RTU 2-in-1 T (R:0-10M,0.3%FS,12V)
68. WxSC800-311151 Teflon ceramic type Immersed liquid level Smart Sensor & RTU 2-in-1 T (R:0-10M,0.5%FS)
69. WxSC800-311152 Teflon ceramic type Immersed liquid level Smart Sensor & RTU 2-in-1 T (R:0-10M,0.3%FS)
70. WxSC800-317611 Displacement Smart Sensor & RTU 2-in-1 Terminal (Resolution 0.01mm)
71. WxSC800-318211 Water level upper limit Smart Sensor & RTU 2-in-1 Terminal (rod shape, R: 0.8meter)
72. WxSC800-318212 Water level upper limit Smart Sensor & RTU 2-in-1 Terminal (rod shape, R: 1meter)
73. WxSC800-318213 Water level upper limit Smart Sensor & RTU 2-in-1 Terminal (rod shape, R: 1.2meter)
74. WxSC800-318521 Multi-target High-precision Positioning & Speed Measurement Radar & RTU Smart Terminal
75. WxSC800-318531 Radar Water Flow Meter & RTU Smart Terminal(9~28VDC, Range: 0.15~15m/s,IP68)
76. WxSC800-318541 Radar Water Level Meter & RTU Smart Terminal(6-24VDC, Range: 0-10m, RS485)
77. WxSC800-318542 Radar Water Level Meter & RTU Smart Terminal(6-24VDC, Range: 0-30m, RS485)
78. WxSC800-318711 GPS/Beidou Positioning Smart Sensor & RTU 2-in-1 Terminal
79. WxSC800-319211 Wind Direction Smart Sensor & RTU 2-in-1 Terminal
80. WxSC800-319221 Limit Switch Smart Sensor & RTU 2-in-1 Terminal(Honeywell)
81. WxSC800-319231 Rope-pulling switch Smart Sensor & RTU 2-in-1 Terminal
82. WxSC800-319241 Smart Lock based Toilet Occupation Smart Sensor & RTU 2-in-1 Terminal
83. WxSC800-319311 Tilt / Inclination Smart Sensor & RTU 2-in-1 Terminal (SHM- Structure Health Monitoring)
84. WxSC800-319321 Tilt alarm switch & RTU Smart Terminal (Triggered on 20° on X/Y Axis Tilt, Acc: 20±10°)

85. WxSC800-319322 Tilt alarm switch & RTU Smart Terminal (Triggered on 30° on X/Y Axis Tilt, Acc: 30±10°)
86. WxSC800-319323 Tilt alarm switch & RTU Smart Terminal (Triggered on 45° on X/Y Axis Tilt, Acc: 45±10°)
87. WxSC800-319324 Tilt alarm switch & RTU Smart Terminal (Triggered on 60° on X/Y Axis Tilt, Acc: 60±10°)
88. WxSC800-319325 Tilt alarm switch & RTU Smart Terminal (Triggered on 80° on X/Y Axis Tilt, Acc: 80±10°)
89. WxSC800-321111 18B20 Temp Smart Sensor & RTU 2-in-1 Terminal(30-120°C, Normal)
90. WxSC800-321112 18B20 Temp Smart Sensor & RTU 2-in-1 Terminal(-30-120°C, Magnetic head)
91. WxSC800-321113 18B20 Temp Smart Sensor & RTU 2-in-1 Terminal(-30-120°C, Screw head)
92. WxSC816-321161 Grain Pile (Fermentation) Temperature Smart Sensors Terminal (1 Meter, 2 Temp Point)
93. WxSC816-321162 Grain Pile (Fermentation) Temperature Smart Sensors Terminal (2 Meters, 4 Temp Points)
94. WxSC816-321163 Grain Pile (Fermentation) Temperature Smart Sensors Terminal (3 Meters, 5 Temp Points)
95. WxSC800-321911 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Plug-in,1 meter)
96. WxSC800-321912 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Patch-type,1 meter)
97. WxSC800-321913 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Screw-type,2 meters)
98. WxSC800-321914 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Nose Patch-type,2 meters)
99. WxSC800-321915 PT100 Temp Smart Sensor & RTU 2-in-1 Terminal(-50-300°C, Magnetic head type,1 meter)
100. WxSC800-330011 Solar total radiation Smart Sensor & RTU 2-in-1 Terminal(R:0-1800W/m², 1W/m²), IP67
101. WxSC800-332061 Photosynthetically Act Radiation Sensor & RTU 2-in-1 T(400-700nm,R: 0~2,500µmol/m² S)
102. WxSC800-333031 Fire smoke Smart Sensor & RTU 2-in-1 Terminal
103. WxSC800-333032 Fire Smoke+CO Smart Sensor & RTU 2-in-1 Terminal
104. WxSC800-333041 IR Smart Sensor & RTU 2-in-1 Terminal(1 meters)
105. WxSC800-333042 IR Sensor Smart & RTU 2-in-1 Terminal, Diffuse Reflection (2.5 meters,12VDC)
106. WxSC800-333043 Dual IR Bi-directional counter Smart & RTU 2-in-1 Terminal,Diffuse Reflection (2.5 m,12VDC)
107. WxSC800-333044 IR Smart Sensor & RTU 2-in-1 Terminal, Mirrored reflection (4 meters,12VDC)
108. WxSC800-333045 Dual IR Bi-directional counter Smart & RTU 2-in-1 Terminal, Mirrored reflection (4m.12VDC)
109. WxSC800-333051 PIR Smart Sensor & RTU 2-in-1 Terminal(3-4 Meters)
110. WxSC800-333052 PIR Smart Sensor & RTU 2-in-1 Terminal(20 Meters)
111. WxSC800-333053 PIR based Toilet Occupation Smart Sensor & RTU 2-in-1 Terminal
112. WxSC800-333061 Optical Rainfall Smart Sensor & RTU 2-in-1 Terminal(Resolution:0.1mm, Max:24mm/min)
113. WxSC800-333071 Atmospheric visibility Smart Sensor & RTU 2-in-1 Terminal(10KM±2%, resolution 1m), IP67
114. WxSC800-333072 Atmospheric visibility Smart Sensor & RTU 2-in-1 Terminal(50KM±2%, resolution 1m), IP67
115. WxSC800-333073 Atmospheric visibility Smart Sensor & RTU 2-in-1 Terminal(80KM±2%, resolution 1m), IP67
116. WxSC800-333081 Infrared grating radiation perimeter alarm & RTU 2-in-1 Terminal (1 pair), IP67
117. WxSC800-334061 UV Smart Sensor & RTU 2-in-1 Terminal(R:0-15 grade, outdoor)
118. WxSC800-334062 UV radiation Smart Sensor & RTU 2-in-1 Terminal(R:0~5mw/cm², indoor,12VDC)
119. WxSC800-33B021 illumination Smart Sensor & RTU 2-in-1 Terminal(R: 0-100KLux, 0.01Lux) outdoor
120. WxSC800-33B022 illumination Smart Sensor & RTU 2-in-1 Terminal (R: 0-100KLux, 0.01Lux) indoor
121. WxSC800-341011 Door/window magnetic switch Smart Sensor & RTU 2-in-1 Terminal(Indoor)
122. WxSC800-341021 Metal Magnetic Field Change Smart Sensor & RTU 2-in-1 Terminal
123. WxSC800-351023 Current Transformer & RTU 2-in-1 Smart Terminal (AC100,3.3VDC, Resolution:1%)
124. WxSC800-351024 Current Transformer & RTU 2-in-1 Smart Terminal (AC200,3.3VDC, Resolution 2%)
125. WxSC800-351025 Current Transformer & RTU 2-in-1 Smart Terminal (AC300,3.3VDC, Resolution 3%)
126. WxSC800-351026 Current Transformer & RTU 2-in-1 Smart Terminal (AC500,3.3VDC, Resolution 5%)
127. WxSC800-351031 Static Electricity Smart Sensor & RTU 2-in-1 Smart Terminal
128. WxSC800-3530A1 Uni-phase Electric Energy Meter & RTU 2-in-1 Smart Terminal

- 129. WxSC800-3530A2 Uni-phase Electric Energy Meter & RTU 2-in-1 Smart Terminal
- 130. WxSC800-3530C1 Water Leaking Smart Sensor (Point) & RTU 2-in-1 Smart Terminal
- 131. WxSC800-3530C2 Water Leaking Smart Sensor (Point) & RTU 2-in-1 Smart Terminal
- 132. WxSC800-3530D1 Water Leaking Smart Sensor & RTU 2-in-1 Terminal (Line,10 meter, no positioning)
- 133. WxSC800-3530E2 Rain or snow Smart Sensor & RTU 2-in-1 Terminal (switch signal, Auto heating), IP68
- 134. WxSC800-355031 Anemometer Wind Speed Smart Sensor & RTU 2-in-1 Terminal
- 135. WxSC800-355041 Tipping rain bucket Rainfall Smart Sensor & RTU 2-in-1 Terminal
- 136. WxSC800-355051 Uni-Call Button & RTU 2-in-1 Smart Terminal
- 137. WxSC800-362011 Sound/Noise Smart Sensor & RTU 2-in-1 Terminal (Range: 30~130dB, Indoor)
- 138. WxSC800-362021 Sound/Noise Smart Sensor & RTU 2-in-1 Terminal (Range: 30~130dB, Outdoor)
- 139. WxSC800-363021 Ultrasonic Smart Sensor & RTU 2-in-1 Terminal (Range: 0-8 Meter)
- 140. WxSC80E-403011 Temp+Humidity Smart Sensors & RTU 2-in-1 Terminal (Indoor)
- 141. WxSC80E-403013 Temp+Humidity Smart Sensors & RTU 2-in-1 Terminal (IP67, Outdoor)
- 142. WxSC812-403013 T+H Smart Sensors T (T: R-40°-120°C,Typ:0-65°C,±0.2H:±2%H, IP67, ER14505H/M &DC)
- 143. WxSC812-403017 T+H Smart Sensors T (T: R-40°-120°C,Typ:0-90°C,±0.2H:±2%H, IP67, ER14505H/M &DC)
- 144. WxSC812-40301B T+H Smart Sensors T (T: R-40°-120°C,Typ:20-60°C,±0.1H:±1.5%H, IP67, ER14505H/M &DC)
- 145. WxSC812-403023 Temperature+Humidity+Barometric Pressure Smart Sensors T (IP67, ER14505H/M &DC)
- 146. WxSC80E-403021 Temp+Humidity+Barometric Pressure Smart Sensors & RTU 2-in-1 Terminal (Indoor)
- 147. WxSC80E-403023 Temp+Humidity+Barometric Pressure Smart Sensors & RTU 2-in-1 Terminal (IP67, Outdoor)
- 148. WxSC800-423011 AQI(PM2.5/10, SO2,NO2, O3, CO, T, H) Smart Sensors & RTU 2-in-1 Terminal (PPM)
- 149. WxSC800-423031 IAQ(PM2.5/10, CO2, HCHO, T, H) Smart Sensors & RTU 2-in-1 Terminal
- 150. WxSC800-423041 IAQ(PM2.5/10, CO2, TVOC, T, H) Smart Sensors & RTU 2-in-1 Terminal
- 151. WxSC800-423051 IAQ(PM2.5/10, CO2, HCHO, TVOC, T, H) Smart Sensors & RTU 2-in-1 Terminal (MoQ=100)
- 152. WxSC800-423081 Smart Gas (CO, H2S, O2, CH4) Sensors & RTU 2-in-1 Terminal
- 153. WxSC800-423091 Temp+Humidity+4 Gases Sensors (Optional) & RTU 2-in-1 Terminal
- 154. WxSC800-232011 Water Quality Residual Chlorine Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 155. WxSC800-232021 Quad-electrode Salinity Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 156. WxSC800-232031 Quad-electrode Conductivity Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 157. WxSC800-232041 Water Quality Digital ORP Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 158. WxSC800-232051 Water Quality NH4 Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 159. WxSC800-232081 Water Quality Total Hardness Sensor & RTU 2-in-1 Terminal (IP68)
- 160. WxSC800-234011 Water Quality Digital PH Smart Sensor & RTU 2-in-1 Terminal (IP68)
- 161. WxSC800-332011 Optical Dissolved Oxygen Smart Sensor & RTU 2-in-1 T (Optical Fluoresce Principle, IP68)
- 162. WxSC800-332012 Aquaculture ODO Smart Sensor & RTU 2-in-1 Terminal (Optical fluoresce Principle,IP68)
- 163. WxSC800-332021 Optical Chlorophyll Smart Sensor & RTU 2-in-1 T (Self-Cleaning, Immersible, IP68)
- 164. WxSC800-332022 Optical Chlorophyll Smart Sensor & RTU 2-in-1 T (Flow Cell/Immersible, IP68)
- 165. WxSC800-332031 Blue Green Algae Smart Sensor & RTU 2-in-1 T (Fresh Water, Self-Cleaning, IP68)
- 166. WxSC800-332032 Blue Green Algae Smart Sensor & RTU 2-in-1 T (Fresh Water, Flow cell/Immersible, IP68)
- 167. WxSC800-333011 Suspended Solid Smart Sensor & RTU 2-in-1 Terminal (Self Cleaning, 0-4,000mg/L, IP68)
- 168. WxSC800-333012 Suspended Solid Smart Sensor & RTU 2-in-1 Terminal (Self Cleaning, 0-10,000mg/L, IP68)
- 169. WxSC800-334012 Oil-in-Water Smart Sensor & RTU 2-in-1 T (UV Fluorescent, Crude Oil , Self-Cleaning, IP68)
- 170. WxSC800-334014 Oil-in-Water Smart Sensor & RTU 2-in-1 T(UV Fluorescent, Refined Oil, Self-Cleaning, IP68)
- 171. WxSC800-334021 UV254 COD Smart Sensor & RTU 2-in-1 Terminal (Waster Water/Surface Water, IP68)
- 172. WxSC800-334022 UV254 COD Smart Sensor & RTU 2-in-1 Terminal (Industrial Waster Water, IP68)

- 173. WxSC800-334031 Optical Turbidity Smart Sensor & RTU 2-in-1 Terminal (Flow cell/Immersible, IP68)
- 174. WxSC800-334032 Optical Turbidity Smart Sensor & RTU 2-in-1 Terminal (Immersible,Self-Cleaning,IP68)
- 175. WxSC800-334041 Colored Dissolvable Organic Matter CDOM Sensor & RTU 2-in-1 Terminal (UV, IP68)
- 176. WxSC800-334051 Water Color Sensor & RTU 2-in-1 T(Dual Wavelength UV254, Immersible,Self-Cleaning,IP68)
- 177. BSS-BUOY01 Larger Ocean Quality Sensors Buoy System (Inc. Solar Charging Systems)
- 178. BSS-BUOY02 Smaller River Water Quality Sensors Buoy System (Inc. Solar Charging Systems)